

## Exam Questions HPE0-V14

Building HPE Hybrid IT Solutions

<https://www.2passeasy.com/dumps/HPE0-V14/>



NEW QUESTION 1  
- (Exam Topic 1)  
Refer to the exhibit.

Qty	Product#	Product Description
1	868703-B21	HPE ProLiant DL380Gen10 8SFF Configure-to-order Server
1	868703-B21 B19	HPE DL380 Gen10 8SFF CTO Server
1	826860-L21	HPE DL380 Gen10 Intel Xeon-Gold 6144 (3.5GHz/8-core/150W) FIO Processor Kit
1	826860-B21	HPE DL380 Gen10 Intel Xeon-Gold 6144 (3.5GHz/8-core/150W) Processor Kit
12	815100-B21	HPE 32GB (1x32GB) Dual Rank x4 DDR4-2666 CAS-19-19-19 Registered Smart Memory Kit
2	870757-B21	HPE 600GB SAS 12G Enterprise 15K SFF(2.5in) SC 3yr Wty Digitally Signed Firmware HDD
2	727055-B21	HPE Ethernet 10Gb 2-port 562SFP+ Adapter
1	P01366-B21	HPE 96W SmartStorage Battery (up to 20 Devices) with 145mm Cable Kit
1	804331-B21	HPE Smart Array P408i-a SR Gen10 (8 Internal Lanes/2GB Cache) 12G SAS Modular Controller
2	865408-B21	HPE 500W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit
1	BD505A	HPE iLO Advanced 1-server License umep 3yr Support on iLO Licensed Features
1	P8B31A	HPE OneView w/o iLO including 3yr 24x7 Support 1-server FIO LTU
1	733660-B21	HPE 2U Small Form Factor Easy Install Rail Kit

A customer needs a server with four 10Gb network adapters. They need it to be configured for the best possible network throughput. Given the BOM in the exhibit, what do you need to add to this server to meet the customer requirement?

- A. Workload Accelerator
- B. SSD Drives
- C. Smart Storage Hybrid Capacitor
- D. Secondary Riser Kit

Answer: C

NEW QUESTION 2

- (Exam Topic 1)  
Match each characteristic to the correct storage type.

Answer Area

DL

ML

maximum 2 processors

maximum 4 processors

rack optimized

tower or rack

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

DL

DL

ML

maximum 2 processors

MLmaximum 4 processors

DLrack optimized

MLtower or rack

### NEW QUESTION 3

- (Exam Topic 1)

A customer requires a management solution that will provide email notifications if hardware errors occur on their servers. Which management solution provides this functionality?

- A. UEFI System Configuration
- B. iLO Advanced Edition
- C. HPE SUM
- D. HPE SUT

**Answer:** B

### NEW QUESTION 4

- (Exam Topic 1)

A customer is considering an upgrade of their networking infrastructure with HPE FlexFabric 5940 series switch. Match the fan tray option with the airflow direction.

#### Answer Area

	<input type="text"/>	HPE 58x0AF Power-to-Port Airflow Fan Tray
Front to back	<input type="text"/>	HPE 58x0AF Port-to-Port Airflow Fan Tray
Back to front	<input type="text"/>	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	<input type="text"/>	HPE X712 Power-to-Port Airflow High Volume Fan Tray

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

#### Answer Area

	Back to front	HPE 58x0AF Power-to-Port Airflow Fan Tray
Front to back	Front to back	HPE 58x0AF Port-to-Port Airflow Fan Tray
Back to front	Front to back	HPE X711 Port-to-Power Airflow High Volume Fan Tray
	Back to front	HPE X712 Power-to-Port Airflow High Volume Fan Tray

### NEW QUESTION 5

- (Exam Topic 1)

A Network administrator connects two switches together with multiple links of the same speed, duplex, and media type. The administrator expected the links to be aggregated, but they are not. The administrator confirmed that the ports are part of the appropriate link aggregation groups and that the permitted VLANs match. Switch A has the lower LACP System Priority. Which LACP operation states describe the failure above?

- A. Switch A: Active; Switch B: Active
- B. Switch A: Active; Switch B: Passive
- C. Switch A: Passive; Switch B: Passive
- D. Switch A: Passive; Switch B: Active

**Answer:** C

### NEW QUESTION 6

- (Exam Topic 1)

Indicate whether each management feature manages or monitors a single system or multiple systems.

Answer Area

		HPE 3PAR SSMC
ManagingMonitoring a Single System		HPE OneView Global Dashboard
Managing/Monitoring Multiple Systems		HPE Intelligent Provisioning
		HPE Smart Storage Administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

	ManagingMonitoring a Single System	HPE 3PAR SSMC
ManagingMonitoring a Single System	Managing/Monitoring Multiple Systems	HPE OneView Global Dashboard
Managing/Monitoring Multiple Systems	ManagingMonitoring a Single System	HPE Intelligent Provisioning
	Managing/Monitoring Multiple Systems	HPE Smart Storage Administrator

NEW QUESTION 7

- (Exam Topic 1)

A customer has a VMware environment with HPE ProLiant servers and Nimble storage. They have been using a Windows VM to provide file services for their employees.

The customer is experiencing performance issues with the solution due to memory constraints on the virtual environment.

What could be added to the existing environment that will provide dedicated file services with better performance that would still utilize the existing storage and backup solutions?

- A. HPE StoreEver 30750
- B. HPE Storage Performance File Controller
- C. HPE StoreEasy 1460 Storage
- D. HPE StoreEasy 1650 Expanded Storage

Answer: C

NEW QUESTION 8

- (Exam Topic 1)

Match each HPE solution to its optimal use case.



Select and Place:

## Answer Area

### HPE Solution

### Use Case

HPE Proliant  
Microserver

General Purpose Computing, Virtualization  
Clusters, Enterprise Applications

HPE Proliant  
ML/DL

NAS Storage, File Sync and Share for  
Remote/Mobile users

HPE StoreEasy

Remote Office, Low Cost, Quiet Operation,  
Office environment

HPE StoreOnce

Space-efficient Backups, Backup Replication,  
Cloud-based Archiving

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Select and Place:

## Answer Area

### HPE Solution

### Use Case

HPE Proliant  
Microserver

General Purpose Computing, Virtualization  
Clusters, Enterprise Applications

HPE Proliant  
ML/DL

NAS Storage, File Sync and Share for  
Remote/Mobile users

HPE StoreEasy

Remote Office, Low Cost, Quiet Operation,  
Office environment

HPE StoreOnce

Space-efficient Backups, Backup Replication,  
Cloud-based Archiving

### NEW QUESTION 9

- (Exam Topic 1)

An administrator is using 4k block sizes on an iSCSI array. The administrator wants to optimize that packet size to decrease the header overhead in the IP traffic flow.

What feature should be enabled on the entire Layer 2 domain?

- A. Jumbo Frames
- B. Data Center Bridging
- C. RDMA over converged Ethernet
- D. Intelligent Resilient Framework (IRF)

Answer: A

### NEW QUESTION 10

- (Exam Topic 1)

A security client needs a surveillance solution to support 239 Cameras. They expect to generate 2PB of data and require a 10Gb network infrastructure in a single rack.

Which solution should you recommend to meet the customer requirements?

- A. HPE Moonshot
- B. HPE MSA
- C. HPE Apollo Servers
- D. HPE SimpliVity 380

Answer: C

#### NEW QUESTION 10

- (Exam Topic 1)

What is the most important difference between an HPE ProLiant DL380 Gen10 server and an HPE ProLiant DL385 Gen10 server?

- A. Disk Drives
- B. Power Supplies
- C. Network Cards
- D. Processors

Answer: A

#### NEW QUESTION 15

- (Exam Topic 1)

Which backup targets are available from an HPE StoreOnce backup system? (Choose two.)


- A. VTL
- B. Catalyst
- C. NVMe
- D. S3
- E. iSCSI

Answer: AB

#### NEW QUESTION 17

- (Exam Topic 1)

Refer to the exhibit.



A customer purchased a server/storage environment shown in the exhibit with 1 Gb networking connectivity. The customer is now experiencing performance issues.

Identify the correct components to upgrade the network connections and improve performance on the left. Then drag those components to the answer area on the right. (Choose three.)

Options

- HPE FlexFabric 5710 24 SGT Switch
- Aruba 3810M 24SFP+ Switch
- HPE Nimble Storage 2x16Gb Fibre Channel 2-port FIO Adapter Kit
- HPE Nimble Storage 2x10GBASE-T 2-port FIO Adapter Kit
- HPE Ethernet 10Gb 2-port 535T Adapter
- HPE Ethernet 10Gb 2-port 524SFP+ Adapter

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Options

- HPE FlexFabric 5710 24 SGT Switch
- Aruba 3810M 24SFP+ Switch
- HPE Nimble Storage 2x16Gb Fibre Channel 2-port FIO Adapter Kit
- HPE Nimble Storage 2x10GBASE-T 2-port FIO Adapter Kit
- HPE Ethernet 10Gb 2-port 535T Adapter
- HPE Ethernet 10Gb 2-port 524SFP+ Adapter

Answer Area

- Aruba 3810M 24SFP+ Switch
- HPE Nimble Storage 2x10GBASE-T 2-port FIO Adapter Kit
- HPE Ethernet 10Gb 2-port 535T Adapter



NEW QUESTION 21

- (Exam Topic 1)

What does StoreOnce use to allow independent software vendors (ISV) to be aware of the HPE StoreOnce Backup system and its capabilities without emulation?

- A. Recovery Manager Central
- B. Catalyst Target
- C. Virtual Tape Library
- D. NAS Target




Answer: A

#### NEW QUESTION 26

- (Exam Topic 1)


You need to review a warning on a Nimble storage array. Click on the menu option that displays this information.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



#### NEW QUESTION 29

- (Exam Topic 1)

Refer to the exhibit.

```
<Switch-A>display int Ten-GigabitEthernet 1/0/1 Ten-GigabitEthernet1/0/1 Current state: UP
Line protocol state: UP IP packet frame type: Ethernet II, hardware address: d894-03fb-793d
Description: Ten-GigabitEthernet1/0/1 Interface Bandwidth: 10000000 kbps Loopback is not
set Media type is stack wire, port hardware type is STACK_SFP_PLUS 10Gbps-speed mode, full-
duplex mode Link speed type is autonegotiation, link duplex type is autonegotiation Flow-
control is not enabled Maximum frame length: 10000 Allow jumbo frames to pass Broadcast
max-ratio: 100% Multicast max-ratio: 100% Unicast max-ratio: 100% PVID: 1 MDI type:
Automdix Port link-type: Trunk VLAN Passing: 10, 20 VLAN permitted: 10, 20 Trunk port
encapsulation: IEEE 802.1q Port priority: 0 <SNIP>
```

An administrator connected a hypervisor to interface Ten-GigabitEthernet1/0/1 in a switch. The administrator created virtual machines in VLAN 10 and 20 on the hypervisor. VLAN 10 is configured to be tagged, and VLAN 20 is configured to be untagged on the hypervisor. The administrator found that all the virtual machines in VLAN 20 can communicate with each other, but not with any virtual machines on VLAN 20 external to the hypervisor.

Given the output in the exhibit, what should you do to resolve the issue?

- A. Permit VLAN 1 on the interface.
- B. Configure the PVID of the interface to be VLAN 20.
- C. Configure the interface as an access port.
- D. Configure the interface as an IRF port.



Answer: D

#### NEW QUESTION 34

- (Exam Topic 1)

Refer to the exhibit.

```
admin> cfgshow
```

```
Defined configuration:
```

```
cfg:      zone_cfg_1
          nimble_esx_1_zone
zone:     nimble_esx_1_zone
          ESX1; NIMBLE1A
alias:    ESX1 51:40:2e:c0:11:0b:a4:c0
alias:    NIMBLE1A
          56:c9:ce:90:20:50:68:01
```

```
Effective configuration:
```

```
cfg:      zone_cfg_1
zone:     nimble_esx_1_zone
          51:40:2e:c0:11:0b:a4:c0
          56:c9:ce:90:20:50:68:01
```

When performing a code upgrade on an HPE Nimble array, you noticed a connection failure on ESX1. Refer to the exhibit showing the complete zoning configuration of one of the HPE SN3000B switches.

What should you do to ensure storage access is not interrupted when doing the next update?

- A. Create and ISL between the two HPE SN3000B switches.
- B. Create a new zone for ESX1 and the second storage controller.
- C. Change the timeout values on the SN3000B switch.
- D. Configure the same zone on a second HPE SN3000B.

Answer: C

#### NEW QUESTION 38

- (Exam Topic 1)

A customer is planning to deploy a branch office server rack. The environment will have the following requirements:

Single rack with 20 HPE ProLiant DL360 Gen10 Servers. Each Server will have 6 x 10G SFP+ Ports.

Each Server will have a dedicated iLO port.

The customer requires that only two switches be used. The customer requires separate control planes.

Which switch configuration can meet these requirements?


- A. 2 x HPE 5945 Series switch with IRF
- B. 2 x Aruba 8325 Series switches with VSX
- C. 2 x HPE 5945 Series switches standalone
- D. 2 x Aruba 8325 Series switches with backplane stacking

Answer: A

#### NEW QUESTION 43

- (Exam Topic 1)


Match each customer data center architecture to its network topology.



- A. Mastered  
 B. Not Mastered

**Answer: A**

**Explanation:**



#### NEW QUESTION 46

- (Exam Topic 2)

Match each workload profile description with the corresponding profile. (Select all that apply.)

Profile		Description
Mission Critical		Maximizes processor speed
Transactional Application Processing		Large number of database operations
General Peak Frequency Compute		Trades performance for reliability

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Missing Critical - Large number of database operations  
Transactional Application Processing - Trades performance for reliability  
General Peak Frequency Compute - Maximize processor speed

**NEW QUESTION 51**

- (Exam Topic 2)

Which statement is true regarding configuring memory in an HPE ProLiant server?

- A. LRDIMMS in 64 GB and 128 GB can be mixed.
- B. RDIMM and LRDIMMs can be mixed in one system.
- C. Different capability DIMMs of the same speed can be mixed.
- D. The first CPU memory channel must be fully populated before the second.

**Answer:** C

**NEW QUESTION 52**

- (Exam Topic 2)

A customer needs to create a large RAID set for archive storage on large-capacity drives. Which RAID level is recommended for this customer?

- A. RAID 0
- B. RAID 5+0
- C. RAID 1+0
- D. RAID 6

**Answer:** D

**NEW QUESTION 56**

- (Exam Topic 2)

A customer needs a video archive repository initially starting at 30TB internal storage. The repository is expected to grow at 20% annually and should have a lifespan of 3 years.

Which HPE ProLiant server solution meets the customer's requirements?

- A. HPE ProLiant DL560 Gen10 with LFF SAS drives
- B. HPE ProLiant DL380 Gen10 with LFF SAS drives
- C. HPE ProLiant ML110 with SFF SAS drives
- D. HPE ProLiant DL560 Gen9 with SFF SAS drives

**Answer:** B

**NEW QUESTION 59**

- (Exam Topic 2)

A fast-growing customer with a NAS-based storage solution is evaluating Fibre Channel storage for their VMware environment.

How would this customer benefit from adding 16 Gb Fibre Channel storage to their environment? (Choose two.)

- A. increased performance
- B. simplified connectivity
- C. increased simplicity
- D. reduced latency
- E. simplified administration

**Answer:** AD

**NEW QUESTION 63**

- (Exam Topic 2)

In which layer of the OSI model would you find an IP address?

- A. Application
- B. Network
- C. Physical
- D. Data link

**Answer:** B

**NEW QUESTION 64**

- (Exam Topic 2)

A customer has an application that consumes 500 GB storage and requires an RTO and PRO of 15 minutes.

Which backup and recovery technology enables the customer to meet their requirements in the most cost-effective manner?

- A. offsite tape backup
- B. remote storage replication
- C. log shipping



D. disk-to-disk appliance

**Answer:** D

#### NEW QUESTION 65

- (Exam Topic 2)

You are troubleshooting a customer's HPE ProLiant rack-mount server. The customer has configured the server in Legacy Boot BIOS Mode and is trying to boot from a USB 3.0 drive. The server will not boot from the drive.

What should you do?

- A. Set the USB 3.0 mode to Enabled.
- B. Set the USB 3.0 mode to Auto.
- C. Use the internal USB 3.0 connector.
- D. Use the front-facing USB 3.0 connector.

**Answer:** A

#### NEW QUESTION 67

- (Exam Topic 2)

A customer needs a solution that will maintain data availability in their campus location. They require a multi-node system that can sustain multiple failures, including a full building outage.

Which HPE storage platform meets the customer's needs?

- A. Nimble
- B. StoreVirtual
- C. StoreEasy
- D. MSA

**Answer:** D

#### NEW QUESTION 70

- (Exam Topic 2)

A customer needs to reconfigure their data center network because their network often becomes congested, and the customer cannot monitor the network.

How should the customer configure their network?

- A. Isolate the management network from production traffic
- B. Isolate the SAN on a public network and use a virtual private network (VPN) for secure data
- C. Configure IRF on the switches
- D. Configure in-band management to manage the switches through gigabit Ethernet ports

**Answer:** A

#### NEW QUESTION 74

- (Exam Topic 2)

A customer needs to support both network and storage traffic on their network, which includes Ethernet, iSCSi, and Fibre Channel devices. The customer is concerned about the large amount of cables coming from the various cards inserted in their rack servers, as well as the operational costs in their data center. Which component addresses these issues?

- A. Converged network adapter
- B. Dual-port 10 GbE FlexLOM
- C. Dynamic Smart Array controller
- D. Fibre Channel host bus adapter

**Answer:** A

#### NEW QUESTION 75

- (Exam Topic 2)

When installing servers in a rack, a customer has left gaps between the servers.

What should you tell this customer regarding the space between servers? (Select two.)

- A. It should be filled with blanking panels.
- B. It does not provide correct rack airflow.
- C. It provides easy access for servicing components.
- D. It allows for easier cable management.
- E. It allows for side-to-side component cooling.

**Answer:** AB

#### NEW QUESTION 77

- (Exam Topic 2)

You are working in a data center with multiple servers and need to update the iLO 5 user names and passwords on a regular basis.

Which tool enables you to streamline and automate this process?

- A. Central Management Console
- B. iLO Amplifier Pack
- C. Agentless Management
- D. RESTful API

**Answer:** B

**NEW QUESTION 79**

- (Exam Topic 2)

A customer needs to know if the storage solution you proposed contains components that are compatible with existing products currently in the data center. Which HPE resource should you use to provide this information?

- A. Storage Size
- B. One Config Advance (OCA)
- C. One Config Simple (OCS)
- D. Single Point of Connectivity Knowledge (SPOCK)

**Answer:** D

**NEW QUESTION 83**

- (Exam Topic 2)

You are troubleshooting a POST error on a HPE ProLiant rack-mount server. HPE support has directed you to test a minimum hardware configuration. Which components should you remove? (Choose two.)

- A. CMOS battery
- B. all cooling fans
- C. all expansion boards
- D. all external storage media
- E. redundant processors

**Answer:** DE

**NEW QUESTION 88**

- (Exam Topic 2)

Which two HPE applications are installed on Windows operating systems with intelligent Provisioning? (Choose two.)

- A. Lights-Out Online Configuration Utility
- B. OneView
- C. UEFI Control Suite
- D. Intelligent Management Center
- E. Smart Storage Administrator

**Answer:** AE

**NEW QUESTION 89**

- (Exam Topic 2)

You are installing an HPE ProLiant server in a rack at a customer site. The customer's facility is in a high-voltage utility service area, and they want to be certain that the power supply is supported.

Which ProLiant feature addresses the customer's concern?

- A. ProLiant servers can be configured for 380 – 400V AC in low-line and high-line utility service areas.
- B. ProLiant servers support 240 V DC power supplies because components in a direct current line are less prone to failure.
- C. Rack-mountable HPE servers ship with 110 V DC power supplies because direct current is less expensive for a low-line utility service over short distances.
- D. ProLiant servers include auto-sensing power supplies with a power input range of 100-240 VAC, so they can be used globally.

**Answer:** D

**NEW QUESTION 91**

- (Exam Topic 2)

You are troubleshooting HPE ProLiant servers for a customer. The customer has granted you read-only access to HPE OneView. You need to download the audit log from OneView.

Which permission level should the customer give you?

- A. Network administrator
- B. Infrastructure administrator
- C. Backup administrator
- D. Server administrator

**Answer:** D

**NEW QUESTION 93**

- (Exam Topic 2)

A customer has implemented an HPE ProLiant server with internal storage and needs to monitor the array health status.

Which management application can the customer use to discover errors quickly and minimize the possible downtime?

- A. Insight Online
- B. Smart Storage Administrator
- C. Intelligent Management Center
- D. InfoSight

**Answer:** B

#### NEW QUESTION 96

- (Exam Topic 2)

A customer reports that their new iSCSI MSA 2052 has failed. You find that the MSA is up and running, but the servers cannot mount their LUNs. Which troubleshooting steps should you prioritize? (Choose two.)

- A. Use Smart Storage Administrator (SSA) to view the STATS report on the MSA
- B. Use NIC teaming utility to validate the iSCSI initiator configuration
- C. Use remote console to check the switch port configuration
- D. Use remote console to validate the WWNs on the MSA
- E. Use remote console to ensure correct MSA port configuration

**Answer:** CE

#### NEW QUESTION 99

- (Exam Topic 2)

A customer requires 12 Gb local storage for their VMware boot volumes, which require high-performance read cycles to enable the operating system to boot quickly.

Which drive type provides the most appropriate size and most cost-effective way to meet this requirement?

- A. Mixed-use SSD
- B. Flash media drive
- C. SATA nearline
- D. SAS midline

**Answer:** B

#### NEW QUESTION 101

- (Exam Topic 2)

A customer needs to virtualize their storage across physical servers and storage environments. Which HPE solution meets the customer's needs?

- A. Nimble CS3000
- B. StoreVirtual 4335
- C. StoreVirtual VSA
- D. MSA 2050

**Answer:** C

#### NEW QUESTION 106

- (Exam Topic 2)

Which HPE service level offers customers special parts handling and access to onsite service 24x7, including HPE holidays?

- A. Proactive Care 24x7
- B. Proactive Care 24x7 with CTR
- C. Foundation Care 24x7 with DMR
- D. Foundation Care 24x7

**Answer:** D

#### NEW QUESTION 107

- (Exam Topic 2)

You are installing a HPE MSA storage system and need to connect the power cooling module (PCM). What should you do to ensure power redundancy?

- A. Ensure that a physical service processor is properly connected to each PCM
- B. Verify that each cooling fan is cabled to a separate controller
- C. Connect each PCM within a shelf to a different power distribution unit (PDU)
- D. Connect redundant power cords from the PCM controller to independent power supplies

**Answer:** C

#### NEW QUESTION 110

- (Exam Topic 2)

A customer is configuring their SAN.

Which types of data typically require block storage? (Choose two.)

- A. Windows 2016 file server role
- B. Microsoft Exchange
- C. Oracle database
- D. Bridgehead medical image archive
- E. Enterprise Vault email archive

**Answer:** BC

#### NEW QUESTION 113

- (Exam Topic 2)

A customer plans to back up a file server that holds 2 TB of data. The customer wants to upgrade their network infrastructure to support backup and to implement a datacenter network solution.

Which solutions would HPE recommend to meet the customer needs? (Choose two.)



- A. FlexFabric 5900
- B. StoreEasy 1450
- C. StoreVirtual VSA
- D. Aruba 2900
- E. StoreOnce 3100

**Answer:** AE

#### NEW QUESTION 114

- (Exam Topic 2)

A customer needs Layer 2 switches that provide basic functionality. In the future, this customer might need to use the switches' CLI to configure VLAN and STP features.

Which category of the switches does meet the customer's needs?

- A. unmanaged
- B. managed
- C. VLAN-based
- D. software distributed switch

**Answer:** B

#### NEW QUESTION 116

- (Exam Topic 2)

You are onsite at a customer location to install a new network switch. The customer wants users to be able to manage the switch through the IP network.

How should you connect the switch to the network?

- A. Configure multiple user IDs or roles for the console connection
- B. Configure the management IP address on the switch and enable Telnet or SSH access
- C. Use a dedicated console cable to create a dedicated management network for every user
- D. Connect the switch to the network by using the serial cable that ships with the switch

**Answer:** B

#### NEW QUESTION 118

- (Exam Topic 2)

You are designing a system for a customer that has a contract with a government agency. The contract requires the highest level of security algorithms possible.

Which HPE ProLiant Gen10 feature set will address this customer's needs?

- A. CNSA mode
- B. FIPS 140-2 mode
- C. high security mode
- D. production mode

**Answer:** A

#### NEW QUESTION 120

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual HPE0-V14 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the HPE0-V14 Product From:

<https://www.2passeasy.com/dumps/HPE0-V14/>

## Money Back Guarantee

### HPE0-V14 Practice Exam Features:

- \* HPE0-V14 Questions and Answers Updated Frequently
- \* HPE0-V14 Practice Questions Verified by Expert Senior Certified Staff
- \* HPE0-V14 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* HPE0-V14 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year