

AWS-Certified-SysOps-Administrator-Associate Dumps

Amazon AWS Certified SysOps Administrator - Associate

<https://www.certleader.com/AWS-Certified-SysOps-Administrator-Associate-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

A company wants to create an automated solution for all accounts managed by AWS Organizations to detect any security groups that use 0.0.0.0/0 as the source address for inbound traffic. The company also wants to automatically remediate any noncompliant security groups by restricting access to a specific CIDR block that corresponds with the company's intranet.

- A. Create an AWS Config rule to detect noncompliant security groups
- B. Set up automatic remediation to change the 0.0.0.0/0 source address to the approved CIDR block.
- C. Create an IAM policy to deny the creation of security groups that have 0.0.0.0/0 as the source address. Attach this IAM policy to every user in the company.
- D. Create an AWS Lambda function to inspect new and existing security groups, check for a noncompliant 0.0.0.0/0 source address, and change the source address to the approved CIDR block.
- E. Create a service control policy (SCP) for the organizational unit (OU) to deny the creation of security groups that have the 0.0.0.0/0 source address.
- F. Set up automatic remediation to change the 0.0.0.0/0 source address to the approved CIDR block.

Answer: A

NEW QUESTION 2

- (Exam Topic 1)

A SysOps administrator created an AWS CloudFormation template that provisions Amazon EC2 instances, an Elastic Load Balancer (ELB), and an Amazon RDS DB instance. During stack creation, the creation of the EC2 instances and the creation of the ELB are successful. However, the creation of the DB instance fails. What is the default behavior of CloudFormation in this scenario?

- A. CloudFormation will roll back the stack and delete the stack.
- B. CloudFormation will roll back the stack but will not delete the stack.
- C. CloudFormation will prompt the user to roll back the stack or continue.
- D. CloudFormation will successfully complete the stack but will report a failed status for the DB instance.

Answer: C

NEW QUESTION 3

- (Exam Topic 1)

A company has a simple web application that runs on a set of Amazon EC2 instances behind an Elastic Load Balancer in the eu-west-2 Region. Amazon Route 53 holds a DNS record for the application with a simple routing policy. Users from all over the world access the application through their web browsers. The company needs to create additional copies of the application in the us-east-1 Region and in the ap-south-1 Region. The company must direct users to the Region that provides the fastest response times when the users load the application. What should a SysOps administrator do to meet these requirements?

- A. In each new Region, create a new Elastic Load Balancer and a new set of EC2 instances to run a copy of the application.
- B. Transition to a geolocation routing policy.
- C. In each new Region, create a copy of the application on new EC2 instances.
- D. Add these new EC2 instances to the Elastic Load Balancer in eu-west-2. Transition to a latency routing policy.
- E. In each new Region, create a copy of the application on new EC2 instances.
- F. Add these new EC2 instances to the Elastic Load Balancer in eu-west-2. Transition to a multivalue routing policy.
- G. In each new Region, create a new Elastic Load Balancer and a new set of EC2 instances to run a copy of the application.
- H. Transition to a latency routing policy.

Answer: B

NEW QUESTION 4

- (Exam Topic 1)

A SysOps administrator is reviewing AWS Trusted Advisor recommendations. The SysOps administrator notices that all the application servers for a finance application are listed in the Low Utilization Amazon EC2 Instances check. The application runs on three instances across three Availability Zones. The SysOps administrator must reduce the cost of running the application without affecting the application's availability or design. Which solution will meet these requirements?

- A. Reduce the number of application servers.
- B. Apply rightsizing recommendations from AWS Cost Explorer to reduce the instance size.
- C. Provision an Application Load Balancer in front of the instances.
- D. Scale up the instance size of the application servers.

Answer: C

NEW QUESTION 5

- (Exam Topic 1)

A company is trying to connect two applications. One application runs in an on-premises data center that has a hostname of `host1.onprem.private`. The other application runs on an Amazon EC2 instance that has a hostname of `host1.awscloud.private`. An AWS Site-to-Site VPN connection is in place between the on-premises network and AWS.

The application that runs in the data center tries to connect to the application that runs on the EC2 instance, but DNS resolution fails. A SysOps administrator must implement DNS resolution between on-premises and AWS resources.

Which solution allows the on-premises application to resolve the EC2 instance hostname?

- A. Set up an Amazon Route 53 inbound resolver endpoint with a forwarding rule for the `onprem.private` hosted zone.
- B. Associate the resolver with the VPC of the EC2 instance.
- C. Configure the on-premises DNS resolver to forward `onprem.private` DNS queries to the inbound resolver endpoint.
- D. Set up an Amazon Route 53 inbound resolver endpoint.
- E. Associate the resolver with the VPC of the EC2 instance.
- F. Configure the on-premises DNS resolver to forward `awscloud.private` DNS queries to the inbound resolver endpoint.

- G. Set up an Amazon Route 53 outbound resolver endpoint with a forwarding rule for the onprem.private hosted zone
- H. Associate the resolver with the AWS Region of the EC2 instance
- I. Configure the on-premises DNS resolver to forward onprem.private DNS queries to the outbound resolver endpoint.
- J. Set up an Amazon Route 53 outbound resolver endpoint
- K. Associate the resolver with the AWS Region of the EC2 instance
- L. Configure the on-premises DNS resolver to forward awscloud.private DNS queries to the outbound resolver endpoint.

Answer: C

NEW QUESTION 6

- (Exam Topic 1)

A SysOps administrator is reviewing VPC Flow Logs to troubleshoot connectivity issues in a VPC. While reviewing the logs the SysOps administrator notices that rejected traffic is not listed.

What should the SysOps administrator do to ensure that all traffic is logged?

- A. Create a new flow log that has a filter setting to capture all traffic
- B. Create a new flow log set the log record format to a custom format Select the proper fields to include in the log
- C. Edit the existing flow log Change the filter setting to capture all traffic
- D. Edit the existing flow log
- E. Set the log record format to a custom format Select the proper fields to include in the log

Answer: A

NEW QUESTION 7

- (Exam Topic 1)

A SysOps administrator is troubleshooting an AWS CloudFormation template whereby multiple Amazon EC2 instances are being created The template is working in us-east-1. but it is failing in us-west-2 with the error code:

```
AMI [ami-12345678] does not exist
```

How should the administrator ensure that the AWS CloudFormation template is working in every region?

- A. Copy the source region's Amazon Machine Image (AMI) to the destination region and assign it the same ID.
- B. Edit the AWS CloudFormation template to specify the region code as part of the fully qualified AMI ID.
- C. Edit the AWS CloudFormation template to offer a drop-down list of all AMIs to the user by using the aws :: EC2 :: ami :: imageId control.
- D. Modify the AWS CloudFormation template by including the AMI IDs in the "Mappings" section
- E. Refer to the proper mapping within the template for the proper AMI ID.

Answer: A

NEW QUESTION 8

- (Exam Topic 1)

A company is managing many accounts by using a single organization in AWS Organizations. The organization has all features enabled. The company wants to turn on AWS Config in all the accounts of the organization and in all AWS Regions.

What should a SysOps administrator do to meet these requirements in the MOST operationally efficient way?

- A. Use AWS CloudFormation StackSets to deploy stack instances that turn on AWS Config in all accounts and in all Regions.
- B. Use AWS CloudFormation StackSets to deploy stack policies that turn on AWS Config in all accounts and in all Regions.
- C. Use service control policies (SCPs) to configure AWS Config in all accounts and in all Regions.
- D. Create a script that uses the AWS CLI to turn on AWS Config in all accounts in the organization
- E. Run the script from the organization's management account.

Answer: C

NEW QUESTION 9

- (Exam Topic 1)

A company is running a website on Amazon EC2 instances that are in an Auto Scaling group When the website traffic increases, additional instances take several minutes to become available because of a

long-running user data script that installs software A SysOps administrator must decrease the time that is required (or new instances to become available

Which action should the SysOps administrator take to meet this requirement?

- A. Reduce the scaling thresholds so that instances are added before traffic increases
- B. Purchase Reserved Instances to cover 100% of the maximum capacity of the Auto Scaling group
- C. Update the Auto Scaling group to launch instances that have a storage optimized instance type
- D. Use EC2 Image Builder to prepare an Amazon Machine Image (AMI) that has pre-installed software

Answer: D

Explanation:

automated way to update your image. Have a pipeline to update your image. When you boot from your AMI updates = scripts are already pre-installed, so no need to complete boot scripts in boot process. <https://aws.amazon.com/image-builder/>

NEW QUESTION 10

- (Exam Topic 1)

A company needs to restrict access to an Amazon S3 bucket to Amazon EC2 instances in a VPC only. All traffic must be over the AWS private network.

What actions should the SysOps administrator take to meet these requirements?

- A. Create a VPC endpoint for the S3 bucket, and create an IAM policy that conditionally limits all S3 actions on the bucket to the VPC endpoint as the source.

- B. Create a VPC endpoint for the S3 bucket, and create an S3 bucket policy that conditionally limits all S3 actions on the bucket to the VPC endpoint as the source.
- C. Create a service-linked role for Amazon EC2 that allows the EC2 instances to interact directly with Amazon S3, and attach an IAM policy to the role that allows the EC2 instances full access to the S3 bucket.
- D. Create a NAT gateway in the VPC, and modify the VPC route table to route all traffic destined for Amazon S3 through the NAT gateway.

Answer: B

Explanation:

While IAM policy (letter A) also can be used, it does not enforce everyone. The only option that enforces everyone is policy configured directly in the bucket S3.

NEW QUESTION 10

- (Exam Topic 1)

A SysOps administrator applies the following policy to an AWS CloudFormation stack:

```
{
  "Statement": [
    {
      "Effect": "Deny",
      "Action": "Update:*",
      "Principal": "*",
      "Resource": ["LogicalResourceId/Production*"]
    },
    {
      "Effect": "Allow",
      "Action": "Update:*",
      "Principal": "*",
      "Resource": "*"
    }
  ]
}
```

What is the result of this policy?

- A. Users that assume an IAM role with a logical ID that begins with "Production" are prevented from running the update-stack command.
- B. Users can update all resources in the stack except for resources that have a logical ID that begins with "Production".
- C. Users can update all resources in the stack except for resources that have an attribute that begins with "Production".
- D. Users in an IAM group with a logical ID that begins with "Production" are prevented from running the update-stack command.

Answer: B

NEW QUESTION 13

- (Exam Topic 1)

While setting up an AWS managed VPN connection, a SysOps administrator creates a customer gateway resource in AWS. The customer gateway device resides in a data center with a NAT gateway in front of it.

What address should be used to create the customer gateway resource?

- A. The private IP address of the customer gateway device
- B. The MAC address of the NAT device in front of the customer gateway device
- C. The public IP address of the customer gateway device
- D. The public IP address of the NAT device in front of the customer gateway device

Answer: D

NEW QUESTION 14

- (Exam Topic 1)

A company uses AWS CloudFormation to deploy its application infrastructure. Recently, a user accidentally changed a property of a database in a CloudFormation template and performed a stack update that caused an interruption to the application. A SysOps administrator must determine how to modify the deployment process to allow the DevOps team to continue to deploy the infrastructure, but prevent against accidental modifications to specific resources.

Which solution will meet these requirements?

- A. Set up an AWS Config rule to alert based on changes to any CloudFormation stack. An AWS Lambda function can then describe the stack to determine if any protected resources were modified and cancel the operation.
- B. Set up an Amazon CloudWatch Events event with a rule to trigger based on any CloudFormation API call. An AWS Lambda function can then describe the stack to determine if any protected resources were modified and cancel the operation.
- C. Launch the CloudFormation templates using a stack policy with an explicit allow for all resources and an explicit deny of the protected resources with an action of Update.
- D. Attach an IAM policy to the DevOps team role that prevents a CloudFormation stack from updating, with a condition based on the specific Amazon Resource Names (ARNs) of the protected resources.

Answer: B

NEW QUESTION 18

- (Exam Topic 1)

A SysOps administrator has created an AWS Service Catalog portfolio and has shared the portfolio with a second AWS account in the company. The second account is controlled by a different administrator.

Which action will the administrator of the second account be able to perform?

- A. Add a product from the imported portfolio to a local portfolio.
- B. Add new products to the imported portfolio.
- C. Change the launch role for the products contained in the imported portfolio.
- D. Customize the products in the imported portfolio.

Answer: A

NEW QUESTION 23

- (Exam Topic 1)

An organization created an Amazon Elastic File System (Amazon EFS) volume with a file system ID of fs-85ba4Kc. and it is actively used by 10 Amazon EC2 hosts The organization has become concerned that the file system is not encrypted How can this be resolved?

- A. Enable encryption on each host's connection to the Amazon EFS volume Each connection must be recreated for encryption to take effect
- B. Enable encryption on the existing EFS volume by using the AWS Command Line Interface
- C. Enable encryption on each host's local drive Restart each host to encrypt the drive
- D. Enable encryption on a newly created volume and copy all data from the original volume Reconnect each host to the new volume

Answer: D

Explanation:

<https://docs.aws.amazon.com/efs/latest/ug/encryption.html>

Amazon EFS supports two forms of encryption for file systems, encryption of data in transit and encryption at rest. You can enable encryption of data at rest when creating an Amazon EFS file system. You can enable encryption of data in transit when you mount the file system.

NEW QUESTION 27

- (Exam Topic 1)

A SysOps administrator configures an Amazon S3 gateway endpoint in a VPC. The private subnets inside the VPC do not have outbound internet access. A user logs in to an Amazon EC2 instance in one of the private subnets and cannot upload a file to an Amazon S3 bucket in the same AWS Region Which solution will solve this problem?

- A. Update the EC2 instance role policy to allow s3:PutObject access to the target S3 bucket.
- B. Update the EC2 security group to allow outbound traffic to 0.0.0.0/0 for port 80.
- C. Update the EC2 subnet route table to include the S3 prefix list destination routes to the S3 gateway endpoint.
- D. Update the S3 bucket policy to allow s3:PutObject access from the private subnet CIDR block.

Answer: C

NEW QUESTION 29

- (Exam Topic 1)

A SysOps administrator recently configured Amazon S3 Cross-Region Replication on an S3 bucket Which of the following does this feature replicate to the destination S3 bucket by default?

- A. Objects in the source S3 bucket for which the bucket owner does not have permissions
- B. Objects that are stored in S3 Glacier
- C. Objects that existed before replication was configured
- D. Object metadata

Answer: B

NEW QUESTION 32

- (Exam Topic 1)

An Amazon EC2 instance needs to be reachable from the internet. The EC2 instance is in a subnet with the following route table:

Destination	Target
10.0.0.0/16	Local
172.31.0.0/16	pcx-1122334455

Which entry must a SysOps administrator add to the route table to meet this requirement?

- A. A route for 0.0.0.0/0 that points to a NAT gateway
- B. A route for 0.0.0.0/0 that points to an egress-only internet gateway
- C. A route for 0.0.0.0/0 that points to an internet gateway
- D. A route for 0.0.0.0/0 that points to an elastic network interface

Answer: C

NEW QUESTION 34

- (Exam Topic 1)

A company is creating a new multi-account architecture. A Sysops administrator must implement a login solution to centrally manage user access and permissions across all AWS accounts. The solution must be integrated with AWS Organizations and must be connected to a third-party Security Assertion Markup Language (SAML) 2.0 identity provider (IdP).

What should the SysOps administrator do to meet these requirements?

- A. Configure an Amazon Cognito user pool
- B. Integrate the user pool with the third-party IdP.
- C. Enable and configure AWS Single Sign-On with the third-party IdP.
- D. Federate the third-party IdP with AWS Identity and Access Management (IAM) for each AWS account in the organization.
- E. Integrate the third-party IdP directly with AWS Organizations.

Answer: A

NEW QUESTION 35

- (Exam Topic 1)

A company has an Auto Scaling group of Amazon EC2 instances that scale based on average CPU utilization. The Auto Scaling group events log indicates an `InsufficientInstanceCapacity` error.

Which actions should a SysOps administrator take to remediate this issue? (Select TWO).

- A. Change the instance type that the company is using.
- B. Configure the Auto Scaling group in different Availability Zones.
- C. Configure the Auto Scaling group to use different Amazon Elastic Block Store (Amazon EBS) volume sizes.
- D. Increase the maximum size of the Auto Scaling group.
- E. Request an increase in the instance service quota.

Answer: AB

NEW QUESTION 39

- (Exam Topic 1)

A company has a compliance requirement that no security groups can allow SSH ports to be open to all IP addresses. A SysOps administrator must implement a solution that will notify the company's SysOps team when a security group rule violates this requirement. The solution also must remediate the security group rule automatically.

Which solution will meet these requirements?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that invokes an AWS Lambda function when a security group change
- B. Configure the Lambda function to evaluate the security group for compliance, remove all inbound security group rules on all ports, and notify the SysOps team if the security group is noncompliant.
- C. Create an AWS CloudTrail metric filter for security group change
- D. Create an Amazon CloudWatch alarm to notify the SysOps team through an Amazon Simple Notification Service (Amazon SNS) topic when the metric is greater than 0. Subscribe an AWS Lambda function to the SNS topic to remediate the security group rule by removing the rule.
- E. Activate the AWS Config restricted-ssh managed rule
- F. Add automatic remediation to the AWS Config rule by using the AWS Systems Manager Automation `AWSDisablePublicAccessForSecurityGroup` runbook
- G. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to notify the SysOps team when the rule is noncompliant.
- H. Create an AWS CloudTrail metric filter for security group change
- I. Create an Amazon CloudWatch alarm for when the metric is greater than 0. Add an AWS Systems Manager action to the CloudWatch alarm to suspend the security group by using the Systems Manager Automation `AWS-DisablePublicAccessForSecurityGroup` runbook when the alarm is in ALARM state
- J. Add an Amazon Simple Notification Service (Amazon SNS) topic as a second target to notify the SysOps team.

Answer: C

NEW QUESTION 42

- (Exam Topic 1)

A SysOps administrator is attempting to download patches from the internet into an instance in a private subnet. An internet gateway exists for the VPC, and a NAT gateway has been deployed on the public subnet; however, the instance has no internet connectivity. The resources deployed into the private subnet must be inaccessible directly from the public internet.

Public Subnet (10.0.1.0/24) Route Table	
Destination	Target
10.0.0.0/16	local
0.0.0.0/0	IGW

Private Subnet (10.0.2.0/24) Route Table	
Destination	Target
10.0.0.0/16	local

What should be added to the private subnet's route table in order to address this issue, given the information provided?

- A. 0.0.0.0/0 IGW
- B. 0.0.0.0/0 NAT
- C. 10.0.1.0/24 IGW
- D. 10.0.1.0/24 NAT

Answer: B

NEW QUESTION 43

- (Exam Topic 1)

A SysOps administrator needs to develop a solution that provides email notification and inserts a record into a database every time a file is put into an Amazon S3 bucket.

What is the MOST operationally efficient solution that meets these requirements?

- A. Set up an S3 event notification that targets an Amazon Simple Notification Service (Amazon SNS) topic. Create two subscriptions for the SNS topic. Use one

subscription to send the email notification Use the other subscription to invoke an AWS Lambda function that inserts the record into the database

B. Set up an Amazon CloudWatch alarm that enters ALARM state whenever an object is created in the S3 bucket Configure the alarm to invoke an AWS Lambda (unction that sends the email notification and inserts the record into the database

C. Create an AWS Lambda function to send the email notification and insert the record into the database whenever a new object is detected in the S3 bucket invoke the function every minute with an Amazon EventBridge (Amazon CloudWatch Events) scheduled rule.

D. Set up two S3 event notifications Target a separate AWS Lambda function with each notification Configure one function to send the email notification Configure the other function to insert the record into the database

Answer: C

NEW QUESTION 48

- (Exam Topic 1)

A company must migrate its applications to AWS The company is using Chef recipes for configuration management The company wants to continue to use the existing Chef recipes after the applications are migrated to AWS.

What is the MOST operationally efficient solution that meets these requirements?

- A. Use AWS Cloud Format ion to create an Amazon EC2 instance, install a Chef server, and add Chef recipes.
- B. Use AWS CloudFormation to create a stack and add layers for Chef recipes.
- C. Use AWS Elastic Beanstalk with the Docker platform to upload Chef recipes.
- D. Use AWS OpsWorks to create a stack and add layers with Chef recipes.

Answer: D

NEW QUESTION 53

- (Exam Topic 1)

A company is undergoing an external audit of its systems, which run wholly on AWS. A SysOps administrator must supply documentation of Payment Card Industry Data Security Standard (PCI DSS) compliance for the infrastructure managed by AWS.

Which set of action should the SysOps administrator take to meet this requirement?

- A. Download the applicable reports from the AWS Artifact portal and supply these to the auditors.
- B. Download complete copies of the AWS CloudTrail log files and supply these to the auditors.
- C. Download complete copies of the AWS CloudWatch logs and supply these to the auditors.
- D. Provide the auditors with administrative access to the production AWS account so that the auditors can determine compliance.

Answer: A

NEW QUESTION 56

- (Exam Topic 1)

A company's SysOps administrator attempts to restore an Amazon Elastic Block Store (Amazon EBS) snapshot. However, the snapshot is missing because another system administrator accidentally deleted the snapshot. The company needs the ability to recover snapshots for a specified period of time after snapshots are deleted.

Which solution will provide this functionality?

- A. Turn on deletion protection on individual EBS snapshots that need to be kept.
- B. Create an 1AM policy that denies the deletion of EBS snapshots by using a condition statement for the snapshot age Apply the policy to all users
- C. Create a Recycle Bin retention rule for EBS snapshots for the desired retention period.
- D. Use Amazon EventBridge (Amazon CloudWatch Events) to schedule an AWS Lambda function to copy EBS snapshots to Amazon S3 Glacier.

Answer: B

NEW QUESTION 58

- (Exam Topic 1)

A company needs to automatically monitor an AWS account for potential unauthorized AWS Management Console logins from multiple geographic locations.

Which solution will meet this requirement?

- A. Configure Amazon Cognito to detect any compromised 1AM credentials.
- B. Set up Amazon Inspecto
- C. Scan and monitor resources for unauthorized logins.
- D. Set up AWS Confi
- E. Add the iam-policy-blacklisted-check managed rule to the account.
- F. Configure Amazon GuardDuty to monitor the UnauthorizedAccess:IAMUser/ConsoleLoginSuccess finding.

Answer: D

NEW QUESTION 60

- (Exam Topic 1)

A company is running a website on Amazon EC2 instances behind an Application Load Balancer (ALB). The company configured an Amazon CloudFront distribution and set the ALB as the origin. The company created an Amazon Route 53 CNAME record to send all traffic through the CloudFront distribution. As an unintended side effect, mobile users are now being served the desktop version of the website.

Which action should a SysOps administrator take to resolve this issue?

- A. Configure the CloudFront distribution behavior to forward the User-Agent header.
- B. Configure the CloudFront distribution origin setting
- C. Add a User-Agent header to the list of origin custom headers.
- D. Enable IPv6 on the AL
- E. Update the CloudFront distribution origin settings to use the dualstack endpoint.
- F. Enable IPv6 on the CloudFront distributio
- G. Update the Route 53 record to use the dualstack endpoint.

Answer: A

Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/header-caching.html#header-caching>

NEW QUESTION 63

- (Exam Topic 1)

A company runs an application on an Amazon EC2 instance. A SysOps administrator creates an Auto Scaling group and an Application Load Balancer (ALB) to handle an increase in demand. However, the EC2 instances are failing the health check.

What should the SysOps administrator do to troubleshoot this issue?

- A. Verify that the Auto Scaling group is configured to use all AWS Regions.
- B. Verify that the application is running on the protocol and the port that the listener is expecting.
- C. Verify the listener priority in the ALB. Change the priority if necessary.
- D. Verify the maximum number of instances in the Auto Scaling group. Change the number if necessary.

Answer: B

NEW QUESTION 66

- (Exam Topic 1)

An errant process is known to use an entire processor and run at 100%. A SysOps administrator wants to automate restarting the instance once the problem occurs for more than 2 minutes.

How can this be accomplished?

- A. Create an Amazon CloudWatch alarm for the Amazon EC2 instance with basic monitoring. Enable an action to restart the instance.
- B. Create a CloudWatch alarm for the EC2 instance with detailed monitoring. Enable an action to restart the instance.
- C. Create an AWS Lambda function to restart the EC2 instance triggered on a scheduled basis every 2 minutes.
- D. Create a Lambda function to restart the EC2 instance, triggered by EC2 health checks.

Answer: B

NEW QUESTION 69

- (Exam Topic 1)

A company uses an Amazon Elastic File System (Amazon EFS) file system to share files across many Linux Amazon EC2 instances. A SysOps administrator notices that the file system's PercentIOLimit metric is consistently at 100% for 15 minutes or longer. The SysOps administrator also notices that the application that reads and writes to that file system is performing poorly. The application requires high throughput and IOPS while accessing the file system.

What should the SysOps administrator do to remediate the consistently high PercentIOLimit metric?

- A. Create a new EFS file system that uses Max I/O performance mode.
- B. Use AWS DataSync to migrate data to the new EFS file system.
- C. Create an EFS lifecycle policy to transition future files to the Infrequent Access (IA) storage class to improve performance.
- D. Use AWS DataSync to migrate existing data to IA storage.
- E. Modify the existing EFS file system and activate Max I/O performance mode.
- F. Modify the existing EFS file system and activate Provisioned Throughput mode.

Answer: A

Explanation:

To support a wide variety of cloud storage workloads, Amazon EFS offers two performance modes, General Purpose mode and Max I/O mode. You choose a file system's performance mode when you create it, and it cannot be changed. If the PercentIOLimit percentage returned was at or near 100 percent for a significant amount of time during the test, your application should use the Max I/O performance mode. <https://docs.aws.amazon.com/efs/latest/ug/performance.html>

NEW QUESTION 71

- (Exam Topic 1)

A company is storing media content in an Amazon S3 bucket and uses Amazon CloudFront to distribute the content to its users. Due to licensing terms, the company is not authorized to distribute the content in some countries. A SysOps administrator must restrict access to certain countries.

What is the MOST operationally efficient solution that meets these requirements?

- A. Configure the S3 bucket policy to deny the GetObject operation based on the S3:LocationConstraint condition.
- B. Create a secondary origin access identity (OAI). Configure the S3 bucket policy to prevent access from unauthorized countries.
- C. Enable the geo restriction feature in the CloudFront distribution to prevent access from unauthorized countries.
- D. Update the application to generate signed CloudFront URLs only for IP addresses in authorized countries.

Answer: C

NEW QUESTION 75

- (Exam Topic 1)

A company has a public website that recently experienced problems. Some links led to missing webpages, and other links rendered incorrect webpages. The application infrastructure was running properly, and all the provisioned resources were healthy. Application logs and dashboards did not show any errors, and no monitoring alarms were raised. Systems administrators were not aware of any problems until end users reported the issues.

The company needs to proactively monitor the website for such issues in the future and must implement a solution as soon as possible.

Which solution will meet these requirements with the LEAST operational overhead?

- A. Rewrite the application to surface a custom error to the application log when issues occur. Automatically parse logs for error.
- B. Create an Amazon CloudWatch alarm to provide alerts when issues are detected.
- C. Create an AWS Lambda function to test the website.
- D. Configure the Lambda function to emit an Amazon CloudWatch custom metric when errors are detected.
- E. Configure a CloudWatch alarm to provide alerts when issues are detected.

- F. Create an Amazon CloudWatch Synthetics canary
- G. Use the CloudWatch Synthetics Recorder plugin to generate the script for the canary run
- H. Configure the canary in line with requirement
- I. Create an alarm to provide alerts when issues are detected.

Answer: A

NEW QUESTION 79

- (Exam Topic 1)

A company is running a serverless application on AWS Lambda. The application stores data in an Amazon RDS for MySQL DB instance. Usage has steadily increased and recently there have been numerous "too many connections" errors when the Lambda function attempts to connect to the database. The company already has configured the database to use the maximum max_connections value that is possible. What should a SysOps administrator do to resolve these errors?

- A. Create a read replica of the database. Use Amazon Route 53 to create a weighted DNS record that contains both databases.
- B. Use Amazon RDS Proxy to create a proxy. Update the connection string in the Lambda function.
- C. Increase the value in the max_connect_errors parameter in the parameter group that the database uses.
- D. Update the Lambda function's reserved concurrency to a higher value.

Answer: B

Explanation:

<https://aws.amazon.com/blogs/compute/using-amazon-rds-proxy-with-aws-lambda/>

RDS Proxy acts as an intermediary between your application and an RDS database. RDS Proxy establishes and manages the necessary connection pools to your database so that your application creates fewer database connections. Your Lambda functions interact with RDS Proxy instead of your database instance. It handles the connection pooling necessary for scaling many simultaneous connections created by concurrent Lambda functions. This allows your Lambda applications to reuse existing connections, rather than creating new connections for every function invocation.

Check "Database proxy for Amazon RDS" section in the link to see how RDS proxy helps Lambda handle huge connections to RDS MySQL.

<https://aws.amazon.com/blogs/compute/using-amazon-rds-proxy-with-aws-lambda/>

NEW QUESTION 84

- (Exam Topic 1)

A company needs to create a daily Amazon Machine Image (AMI) of an existing Amazon Linux EC2 instance that hosts the operating system, application, and database on multiple attached Amazon Elastic Block Store (Amazon EBS) volumes. File system integrity must be maintained. Which solution will meet these requirements?

- A. Create an AWS Lambda function to call the CreateImage API operation with the EC2 instance ID and the no-reboot parameter enabled.
- B. Create a daily scheduled Amazon EventBridge (Amazon CloudWatch Events) rule that invokes the function.
- C. Create an AWS Lambda function to call the CreateImage API operation with the EC2 instance ID and the reboot parameter enabled.
- D. Create a daily scheduled Amazon EventBridge (Amazon CloudWatch Events) rule that invokes the function.
- E. Use AWS Backup to create a backup plan with a backup rule that runs daily.
- F. Assign the resource ID of the EC2 instance with the no-reboot parameter enabled.
- G. Use AWS Backup to create a backup plan with a backup rule that runs daily.
- H. Assign the resource ID of the EC2 instance with the reboot parameter enabled.

Answer: B

Explanation:

https://docs.aws.amazon.com/AWSEC2/latest/WindowsGuide/Creating_EBSbacked_WinAMI.html "NoReboot By default, Amazon EC2 attempts to shut down and reboot the instance before creating the image.

If the No Reboot option is set, Amazon EC2 doesn't shut down the instance before creating the image. When this option is used, file system integrity on the created image can't be guaranteed." Besides, we can use AWS EventBridge to invoke Lambda function.

https://docs.aws.amazon.com/AWSEC2/latest/APIReference/API_CreateImage.html

NEW QUESTION 88

- (Exam Topic 1)

A company has a new requirement stating that all resources in AWS must be tagged according to a set policy. Which AWS service should be used to enforce and continually identify all resources that are not in compliance with the policy?

- A. AWS CloudTrail
- B. Amazon Inspector
- C. AWSConfig
- D. AWS Systems Manager

Answer: C

NEW QUESTION 89

- (Exam Topic 1)

A company asks a SysOps administrator to ensure that AWS CloudTrail files are not tampered with after they are created. Currently, the company uses AWS Identity and Access Management (IAM) to restrict access to specific trails. The company's security team needs the ability to trace the integrity of each file. What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule that invokes an AWS Lambda function when a new file is delivered.
- B. Configure the Lambda function to compute an MD5 hash check on the file and store the result in an Amazon DynamoDB table.
- C. The security team can use the values that are stored in DynamoDB to verify the integrity of the delivered files.
- D. Create an AWS Lambda function that is invoked each time a new file is delivered to the CloudTrail bucket.
- E. Configure the Lambda function to compute an MD5 hash check on the file and store the result as a tag in an Amazon S3 object.
- F. The security team can use the information in the tag to verify the integrity of the delivered files.
- G. Enable the CloudTrail file integrity feature on an Amazon S3 bucket.

- H. Create an IAM policy that grants the security team access to the file integrity logs that are stored in the S3 bucket.
- I. Enable the CloudTrail file integrity feature on the trail.
- J. The security team can use the digest file that is created by CloudTrail to verify the integrity of the delivered files.

Answer: D

Explanation:

<https://docs.aws.amazon.com/awsccloudtrail/latest/userguide/cloudtrail-log-file-validation-intro.html> "When you enable log file integrity validation, CloudTrail creates a hash for every log file that it delivers.

Every hour, CloudTrail also creates and delivers a file that references the log files for the last hour and contains a hash of each. This file is called a digest file.

Validated log files are invaluable in security and forensic investigations"

NEW QUESTION 92

- (Exam Topic 1)

A company is migrating its production file server to AWS. All data that is stored on the file server must remain accessible if an Availability Zone becomes unavailable or when system maintenance is performed. Users must be able to interact with the file server through the SMB protocol. Users also must have the ability to manage file permissions by using Windows ACLs.

Which solution will net these requirements?

- A. Create a single AWS Storage Gateway file gateway.
- B. Create an Amazon FSx for Windows File Server Multi-AZ file system.
- C. Deploy two AWS Storage Gateway file gateways across two Availability Zone
- D. Configure an Application Load Balancer in front of the file gateways.
- E. Deploy two Amazon FSx for Windows File Server Single-AZ 2 file system
- F. Configure Microsoft Distributed File System Replication (DFSR).

Answer: B

Explanation:

<https://aws.amazon.com/fsx/windows/>

NEW QUESTION 95

- (Exam Topic 1)

A global company handles a large amount of personally identifiable information (PII) through an internal web portal. The company's application runs in a corporate data center that is connected to AWS through an AWS Direct Connect connection. The application stores the PII in Amazon S3. According to a compliance requirement, traffic from the web portal to Amazon S3 must not travel across the internet.

What should a SysOps administrator do to meet the compliance requirement?

- A. Provision an interface VPC endpoint for Amazon S3. Modify the application to use the interface endpoint.
- B Configure AWS Network Firewall to redirect traffic to the internal S3 address.
- B. Modify the application to use the S3 path-style endpoint.
- C. Set up a range of VPC network ACLs to redirect traffic to the Internal S3 address.

Answer: B

NEW QUESTION 99

- (Exam Topic 1)

A company's SysOps administrator needs to change the AWS Support plan for one of the company's AWS accounts. The account has multi-factor authentication (MFA) activated, and the MFA device is lost.

What should the SysOps administrator do to sign in?

- A. Sign in as a root user by using email and phone verificatio
- B. Set up a new MFA devic
- C. Change the root user password.
- D. Sign in as an IAM user with administrator permission
- E. Resynchronize the MFA token by using the IAM console.
- F. Sign in as an IAM user with administrator permission
- G. Reset the MFA device for the root user by adding a new device.
- H. Use the forgot-password process to verify the email address
- I. Set up a new password and MFA device.

Answer: A

NEW QUESTION 101

- (Exam Topic 1)

A SysOps administrator must create a solution that automatically shuts down any Amazon EC2 instances that have less than 10% average CPU utilization for 60 minutes or more.

Which solution will meet this requirement In the MOST operationally efficient manner?

- A. Implement a cron job on each EC2 instance to run once every 60 minutes and calculate the current CPU utilization
- B. Initiate an instance shutdown If CPU utilization is less than 10%.
- C. Implement an Amazon CloudWatch alarm for each EC2 instance to monitor average CPU utilization.Set the period at 1 hour, and set the threshold at 10%. Configure an EC2 action on the alarm to stop the instance.
- D. Install the unified Amazon CloudWatch agent on each EC2 instance, and enable the Basic level predefined metric se
- E. Log CPU utilization every 60 minutes, and initiate an instance shutdown if CPU utilization is less than 10%.
- F. Use AWS Systems Manager Run Command to get CPU utilization from each EC2 instance every 60 minute
- G. Initiate an instance shutdown if CPU utilization is less than 10%.

Answer: B

Explanation:

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/UsingAlarmActions.html>

NEW QUESTION 104

- (Exam Topic 1)

A company runs its entire suite of applications on Amazon EC2 instances. The company plans to move the applications to containers and AWS Fargate. Within 6 months, the company plans to retire its EC2 instances and use only Fargate. The company has been able to estimate its future Fargate costs.

A SysOps administrator needs to choose a purchasing option to help the company minimize costs. The SysOps administrator must maximize any discounts that are available and must ensure that there are no unused reservations.

Which purchasing option will meet these requirements?

- A. Compute Savings Plans for 1 year with the No Upfront payment option
- B. Compute Savings Plans for 1 year with the Partial Upfront payment option
- C. EC2 Instance Savings Plans for 1 year with the All Upfront payment option
- D. EC2 Reserved Instances for 1 year with the Partial Upfront payment option

Answer: C

NEW QUESTION 108

- (Exam Topic 1)

A company uses AWS Organizations to manage its AWS accounts. A SysOps administrator must create a backup strategy for all Amazon EC2 instances across all the company's AWS accounts.

Which solution will meet these requirements In the MOST operationally efficient way?

- A. Deploy an AWS Lambda function to each account to run EC2 instance snapshots on a scheduled basis.
- B. Create an AWS CloudFormation stack set in the management account to add an AutoBackup=True tag to every EC2 instance
- C. Use AWS Backup In the management account to deploy policies for all accounts and resources.
- D. Use a service control policy (SCP) to run EC2 instance snapshots on a scheduled basis in each account.

Answer: B

NEW QUESTION 113

- (Exam Topic 1)

A company is using an Amazon Aurora MySQL DB cluster that has point-in-time recovery, backtracking, and automatic backup enabled. A SysOps administrator needs to be able to roll back the DB cluster to a specific recovery point within the previous 72 hours. Restores must be completed in the same production DB cluster.

Which solution will meet these requirements?

- A. Create an Aurora Replic
- B. Promote the replica to replace the primary DB instance.
- C. Create an AWS Lambda function to restore an automatic backup to the existing DB cluster.
- D. Use backtracking to rewind the existing DB cluster to the desired recovery point.
- E. Use point-in-time recovery to restore the existing DB cluster to the desired recovery point.

Answer: C

Explanation:

"The limit for a backtrack window is 72 hours....Backtracking is only available for DB clusters that were created with the Backtrack feature enabled....Backtracking "rewinds" the DB cluster to the time you specify. Backtracking is not a replacement for backing up your DB cluster so that you can restore it to a point in time....You can backtrack a DB cluster quickly. Restoring a DB cluster to a point in time launches a new DB cluster and restores it from backup data or a DB cluster snapshot, which can take hours."

<https://docs.aws.amazon.com/AmazonRDS/latest/AuroraUserGuide/AuroraMySQL.Managing.Backtrack.html>

NEW QUESTION 117

- (Exam Topic 1)

A company has deployed a web application in a VPC that has subnets in three Availability Zones. The company launches three Amazon EC2 instances from an EC2 Auto Scaling group behind an Application Load Balancer (ALB).

A SysOps administrator notices that two of the EC2 instances are in the same Availability Zone, rather than being distributed evenly across all three Availability Zones. There are no errors in the Auto Scaling group's activity history.

What is the MOST likely reason for the unexpected placement of EC2 instances?

- A. One Availability Zone did not have sufficient capacity for the requested EC2 instance type.
- B. The ALB was configured for only two Availability Zones.
- C. The Auto Scaling group was configured for only two Availability Zones.
- D. Amazon EC2 Auto Scaling randomly placed the instances in Availability Zones.

Answer: C

Explanation:

the autoscaling group is responsible to add the instances in the subnets

NEW QUESTION 120

- (Exam Topic 1)

A company has created a NAT gateway in a public subnet in a VPC. The VPC also contains a private subnet that includes Amazon EC2 instances. The EC2 instances use the NAT gateway to access the internet to download patches and updates. The company has configured a VPC flow log for the elastic network interface of the NAT gateway. The company is publishing the output to Amazon CloudWatch Logs.

A SysOps administrator must identify the top five internet destinations that the EC2 instances in the private subnet communicate with for downloads.

What should the SysOps administrator do to meet this requirement in the MOST operationally efficient way?

- A. Use AWS CloudTrail Insights events to identify the top five internet destinations.
- B. Use Amazon CloudFront standard logs (access logs) to identify the top five internet destinations.
- C. Use CloudWatch Logs Insights to identify the top five internet destinations.
- D. Change the flow log to publish logs to Amazon S3. Use Amazon Athena to query the log files in Amazon S3.

Answer: C

NEW QUESTION 125

- (Exam Topic 1)

A company's backend infrastructure contains an Amazon EC2 instance in a private subnet. The private subnet has a route to the internet through a NAT gateway in a public subnet. The instance must allow connectivity to a secure web server on the internet to retrieve data at regular intervals.

The client software times out with an error message that indicates that the client software could not establish the TCP connection.

What should a SysOps administrator do to resolve this error?

- A. Add an inbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP, Source - 0.0.0.0/0.
- B. Add an inbound rule to the security group for the EC2 instance with the following parameters: Type - HTTPS, Source - 0.0.0.0/0.
- C. Add an outbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP, Destination - 0.0.0.0/0.
- D. Add an outbound rule to the security group for the EC2 instance with the following parameters: Type - HTTP
- E. Destination - 0.0.0.0/0.

Answer: D

NEW QUESTION 126

- (Exam Topic 1)

A company needs to ensure strict adherence to a budget for 25 applications deployed on AWS. Separate teams are responsible for storage, compute, and database costs. A SysOps administrator must implement an automated solution to alert each team when their projected spend will exceed a quarterly amount that has been set by the finance department. The solution cannot add additional compute, storage, or database costs.

- A. Configure AWS Cost and Usage Reports to send a daily report to an Amazon S3 bucket.
- B. Create an AWS Lambda function that will evaluate spend by service and notify each team by using Amazon Simple Notification Service (Amazon SNS) notification.
- C. Invoke the Lambda function when a report is placed in the S3 bucket.
- D. Configure AWS Cost and Usage Reports to send a daily report to an Amazon S3 bucket.
- E. Create a rule in Amazon EventBridge (Amazon CloudWatch Events) to evaluate the spend by service and notify each team by using Amazon Simple Queue Service (Amazon SQS) when the cost threshold is exceeded.
- F. Use AWS Budgets to create one cost budget and select each of the services in use. Specify the budget amount defined by the finance department along with the forecasted cost threshold. Enter the appropriate email recipients for the budget.
- G. Use AWS Budgets to create a cost budget for each team, filtering by the services they own.
- H. Specify the budget amount defined by the finance department along with a forecasted cost threshold. Enter the appropriate email recipients for each budget.

Answer: D

NEW QUESTION 128

- (Exam Topic 1)

A company creates custom AMI images by launching new Amazon EC2 instances from an AWS CloudFormation template. It installs and configures necessary software through AWS OpsWorks and takes images of each EC2 instance. The process of installing and configuring software can take between 2 to 3 hours, but at times the process stalls due to installation errors.

The SysOps administrator must modify the CloudFormation template so that if the process stalls, the entire stack will roll back.

Based on these requirements, what should be added to the template?

- A. Conditions with a timeout set to 4 hours.
- B. CreationPolicy with timeout set to 4 hours.
- C. DependsOn with a timeout set to 4 hours.
- D. Metadata with a timeout set to 4 hours.

Answer: B

NEW QUESTION 129

- (Exam Topic 1)

A company must ensure that any objects uploaded to an S3 bucket are encrypted. Which of the following actions will meet this requirement? (Choose two.)

- A. Implement AWS Shield to protect against unencrypted objects stored in S3 buckets.
- B. Implement Object access control list (ACL) to deny unencrypted objects from being uploaded to the S3 bucket.
- C. Implement Amazon S3 default encryption to make sure that any object being uploaded is encrypted before it is stored.
- D. Implement Amazon Inspector to inspect objects uploaded to the S3 bucket to make sure that they are encrypted.
- E. Implement S3 bucket policies to deny unencrypted objects from being uploaded to the buckets.

Answer: CE

Explanation:

<https://docs.aws.amazon.com/AmazonS3/latest/userguide/default-bucket-encryption.html>

You can set the default encryption behavior on an Amazon S3 bucket so that all objects are encrypted when they are stored in the bucket. The objects are encrypted using server-side encryption with either Amazon S3-managed keys (SSE-S3) or AWS Key Management Service (AWS KMS) customer master keys (CMKs).

<https://aws.amazon.com/blogs/security/how-to-prevent-uploads-of-unencrypted-objects-to-amazon-s3/> How to Prevent Uploads of Unencrypted Objects to Amazon S3#

By using an S3 bucket policy, you can enforce the encryption requirement when users upload objects, instead of assigning a restrictive IAM policy to all users.

NEW QUESTION 130

- (Exam Topic 1)

A SysOps administrator is provisioning an Amazon Elastic File System (Amazon EFS) file system to provide shared storage across multiple Amazon EC2 instances. The instances all exist in the same VPC across multiple Availability Zones. There are two instances in each Availability Zone. The SysOps administrator must make the file system accessible to each instance with the lowest possible latency.

Which solution will meet these requirements?

- A. Create a mount target for the EFS file system in the VPC
- B. Use the mount target to mount the file system on each of the instances
- C. Create a mount target for the EFS file system in one Availability Zone of the VPC
- D. Use the mount target to mount the file system on the instances in that Availability Zone
- E. Share the directory with the other instances.
- F. Create a mount target for each instance
- G. Use each mount target to mount the EFS file system on each respective instance.
- H. Create a mount target in each Availability Zone of the VPC. Use the mount target to mount the EFS file system on the instances in the respective Availability Zone.

Answer: D

NEW QUESTION 133

- (Exam Topic 1)

A company stores files on 50 Amazon S3 buckets in the same AWS Region. The company wants to connect to the S3 buckets securely over a private connection from its Amazon EC2 instances. The company needs a solution that produces no additional cost.

Which solution will meet these requirements?

- A. Create a gateway VPC endpoint for each S3 bucket
- B. Attach the gateway VPC endpoints to each subnet inside the VPC.
- C. Create an interface VPC endpoint for each S3 bucket
- D. Attach the interface VPC endpoints to each subnet inside the VPC.
- E. Create one gateway VPC endpoint for all the S3 buckets
- F. Add the gateway VPC endpoint to the VPC route table.
- G. Create one interface VPC endpoint for all the S3 buckets
- H. Add the interface VPC endpoint to the VPC route table.

Answer: C

NEW QUESTION 134

- (Exam Topic 1)

A company has a stateful web application that is hosted on Amazon EC2 instances in an Auto Scaling group. The instances run behind an Application Load Balancer (ALB) that has a single target group. The ALB is configured as the origin in an Amazon CloudFront distribution. Users are reporting random logouts from the web application.

Which combination of actions should a SysOps administrator take to resolve this problem? (Select TWO.)

- A. Change to the least outstanding requests algorithm on the ALB target group.
- B. Configure cookie forwarding in the CloudFront distribution cache behavior.
- C. Configure header forwarding in the CloudFront distribution cache behavior.
- D. Enable group-level stickiness on the ALB listener rule.
- E. Enable sticky sessions on the ALB target group.

Answer: BE

Explanation:

<https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

You can configure each cache behavior to do one of the following: Forward all cookies to your origin – CloudFront includes all cookies sent by the viewer when it forwards requests to the origin. <https://docs.aws.amazon.com/elasticloadbalancing/latest/application/sticky-sessions.html>

By default, an Application Load Balancer routes each request independently to a registered target based on the chosen load-balancing algorithm.

NEW QUESTION 136

- (Exam Topic 1)

An environment consists of 100 Amazon EC2 Windows instances. The Amazon CloudWatch agent is deployed and running on all EC2 instances with a baseline configuration file to capture log files. There is a new requirement to capture the DHCP log files that exist on 50 of the instances.

What is the MOST operational efficient way to meet this new requirement?

- A. Create an additional CloudWatch agent configuration file to capture the DHCP logs. Use the AWS Systems Manager Run Command to restart the CloudWatch agent on each EC2 instance with the append-config option to apply the additional configuration file.
- B. Log in to each EC2 instance with administrator rights. Create a PowerShell script to push the needed baseline log files and DHCP log files to CloudWatch.
- C. Run the CloudWatch agent configuration file wizard on each EC2 instance. Verify that the base log files are included and add the DHCP log files during the wizard creation process.
- D. Run the CloudWatch agent configuration file wizard on each EC2 instance and select the advanced detail level.
- E. This will capture the operating system log files.

Answer: A

NEW QUESTION 138

- (Exam Topic 1)

A company updates its security policy to prohibit the public exposure of any data in Amazon S3 buckets in the company's account. What should a SysOps administrator do to meet this requirement?

- A. Turn on S3 Block Public Access from the account level.

- B. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to enforce that all S3 objects are private.
- C. Use Amazon Inspector to search for S3 buckets and to automatically reset S3 ACLs if any public S3 buckets are found.
- D. Use S3 Object Lambda to examine S3 ACLs and to change any public S3 ACLs to private.

Answer: A

Explanation:

Using Amazon S3 Block Public Access as a centralized way to limit public access. Block Public Access settings override bucket policies and object permissions. Be sure to enable Block Public Access for all accounts and buckets that you don't want publicly accessible.

<https://aws.amazon.com/premiumsupport/knowledge-center/secure-s3-resources/#:~:text=Using%20Amazon%2>

NEW QUESTION 142

- (Exam Topic 1)

A SysOps administrator is tasked with analyzing database performance. The database runs on a single Amazon RDS D6 instance. The SysOps administrator finds that, during times of peak traffic, resources on the database are over utilized due to the amount of read traffic.

Which actions should the SysOps administrator take to improve RDS performance? (Select TWO.)

- A. Add a read replica.
- B. Modify the application to use Amazon ElastiCache for Memcached.
- C. Migrate the database from RDS to Amazon DynamoDB.
- D. Migrate the database to Amazon EC2 with enhanced networking enabled
- E. Upgrade the database to a Multi-AZ deployment.

Answer: AB

NEW QUESTION 143

- (Exam Topic 1)

A large multinational company has a core application that runs 24 hours a day, 7 days a week on Amazon EC2 and AWS Lambda. The company uses a combination of operating systems across different AWS Regions. The company wants to achieve cost savings and wants to use a pricing model that provides the most flexibility.

What should the company do to MAXIMIZE cost savings while meeting these requirements?

- A. Establish the compute expense by the hour
- B. Purchase a Compute Savings Plan.
- C. Establish the compute expense by the month
- D. Purchase an EC2 Instance Savings Plan.
- E. Purchase a Reserved Instance for the instance types, operating systems, Region, and tenancy.
- F. Use EC2 Spot Instances to match the instances that run in each Region.

Answer: D

NEW QUESTION 144

- (Exam Topic 1)

A company is managing multiple AWS accounts in AWS Organizations. The company is reviewing internal security of its AWS environment. The company's security administrator has their own AWS account and wants to review the VPC configuration of developer AWS accounts.

Which solution will meet these requirements in the MOST secure manner?

- A. Create an IAM policy in each developer account that has read-only access related to VPC resources. Assign the policy to an IAM user. Share the user credentials with the security administrator.
- B. Create an IAM policy in each developer account that has administrator access to all Amazon EC2 actions, including VPC actions. Assign the policy to an IAM user. Share the user credentials with the security administrator.
- C. Create an IAM policy in each developer account that has administrator access related to VPC resources. Assign the policy to a cross-account IAM role. Ask the security administrator to assume the role from their account.
- D. Create an IAM policy in each developer account that has read-only access related to VPC resources. Assign the policy to a cross-account IAM role. Ask the security administrator to assume the role from their account.

Answer: D

NEW QUESTION 148

- (Exam Topic 1)

A software development company has multiple developers who work on the same product. Each developer must have their own development environment, and these development environments must be identical. Each development environment consists of Amazon EC2 instances and an Amazon RDS DB instance. The development environments should be created only when necessary, and they must be terminated each night to minimize costs.

What is the MOST operationally efficient solution that meets these requirements?

- A. Provide developers with access to the same AWS CloudFormation template so that they can provision their development environment when necessary.
- B. Schedule a nightly cron job on each development instance to stop all running processes to reduce CPU utilization to nearly zero.
- C. Provide developers with access to the same AWS CloudFormation template so that they can provision their development environment when necessary.
- D. Schedule a nightly Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function to delete the AWS CloudFormation stacks.
- E. Provide developers with CLI commands so that they can provision their own development environment when necessary.
- F. Schedule a nightly Amazon EventBridge (Amazon CloudWatch Events) rule to invoke an AWS Lambda function to terminate all EC2 instances and the DB instance.
- G. Provide developers with CLI commands so that they can provision their own development environment when necessary.
- H. Schedule a nightly Amazon EventBridge (Amazon CloudWatch Events) rule to cause AWS CloudFormation to delete all of the development environment resources.

Answer: B

NEW QUESTION 152

- (Exam Topic 1)

A company wants to collect data from an application to use for analytics. For the first 90 days, the data will be infrequently accessed but must remain highly available. During this time, the company's analytics team requires access to the data in milliseconds. However, after 90 days, the company must retain the data for the long term at a lower cost. The retrieval time after 90 days must be less than 5 hours.

Which solution will meet these requirements MOST cost-effectively?

- A. Store the data in S3 Standard-Infrequent Access (S3 Standard-IA) for the first 90 day
- B. Set up an S3 Lifecycle rule to move the data to S3 Glacier Flexible Retrieval after 90 days.
- C. Store the data in S3 One Zone-Infrequent Access (S3 One Zone-IA) for the first 90 day
- D. Set up an S3 Lifecycle rule to move the data to S3 Glacier Deep Archive after 90 days.
- E. Store the data in S3 Standard for the first 90 day
- F. Set up an S3 Lifecycle rule to move the data to S3 Glacier Flexible Retrieval after 90 days.
- G. Store the data in S3 Standard for the first 90 day
- H. Set up an S3 Lifecycle rule to move the data to S3 Glacier Deep Archive after 90 days.

Answer: B

NEW QUESTION 157

- (Exam Topic 1)

A SysOps administrator has successfully deployed a VPC with an AWS Cloud Formation template. The SysOps administrator wants to deploy the same template across multiple accounts that are managed through AWS Organizations.

- A. Assume the OrganizationAccountAccessRole IAM role from the management account
- B. Deploy the template in each of the accounts
- C. Create an AWS Lambda function to assume a role in each account. Deploy the template by using the AWS CloudFormation CreateStack API call
- D. Create an AWS Lambda function to query for a list of accounts. Deploy the template by using the AWS CloudFormation
- E. CreateStack API call
- F. Use AWS CloudFormation StackSets from the management account to deploy the template in each of the accounts

Answer: D

NEW QUESTION 158

- (Exam Topic 1)

A company has a stateless application that runs on four Amazon EC2 instances. The application requires four instances at all times to support all traffic. A SysOps administrator must design a highly available, fault-tolerant architecture that continually supports all traffic if one Availability Zone becomes unavailable.

Which configuration meets these requirements?

- A. Deploy two Auto Scaling groups in two Availability Zones with a minimum capacity of two instances in each group.
- B. Deploy an Auto Scaling group across two Availability Zones with a minimum capacity of four instances.
- C. Deploy an Auto Scaling group across three Availability Zones with a minimum capacity of four instances.
- D. Deploy an Auto Scaling group across three Availability Zones with a minimum capacity of six instances.

Answer: C

NEW QUESTION 160

- (Exam Topic 1)

A company's SysOps administrator has created an Amazon EC2 instance with custom software that will be used as a template for all new EC2 instances across multiple AWS accounts. The Amazon Elastic Block Store (Amazon EBS) volumes that are attached to the EC2 instance are encrypted with AWS managed keys. The SysOps administrator creates an Amazon Machine Image (AMI) of the custom EC2 instance and plans to share the AMI with the company's other AWS accounts. The company requires that all AMIs are encrypted with AWS Key Management Service (AWS KMS) keys and that only authorized AWS accounts can access the shared AMIs.

Which solution will securely share the AMI with the other AWS accounts?

- A. In the account where the AMI was created, create a customer master key (CMK). Modify the key policy to provide kms:DescribeKey, kms:ReEncrypt, kms:CreateGrant, and kms:Decrypt permissions to the AWS accounts that the AMI will be shared with.
- B. Modify the AMI permissions to specify the AWS account numbers that the AMI will be shared with.
- C. In the account where the AMI was created, create a customer master key (CMK). Modify the key policy to provide kms:DescribeKey, kms:ReEncrypt*, kms:CreateGrant, and kms:Decrypt permissions to the AWS accounts that the AMI will be shared with.
- D. Create a copy of the AMI.
- E. and specify the CMK.
- F. Modify the permissions on the copied AMI to specify the AWS account numbers that the AMI will be shared with.
- G. In the account where the AMI was created, create a customer master key (CMK). Modify the key policy to provide kms:DescribeKey, kms:ReEncrypt, kms:CreateGrant, and kms:Decrypt permissions to the AWS accounts that the AMI will be shared with.
- H. Create a copy of the AMI.
- I. and specify the CMK.
- J. Modify the permissions on the copied AMI to make it public.
- K. In the account where the AMI was created, modify the key policy of the AWS managed key to provide kms:DescribeKey, kms:ReEncrypt, kms:CreateGrant, and kms:Decrypt permissions to the AWS accounts that the AMI will be shared with.
- L. kms:ReEncrypt, kms:CreateGrant, and kms:Decrypt permissions to the AWS accounts that the AMI will be shared with.
- M. Modify the AMI permissions to specify the AWS account numbers that the AMI will be shared with.

Answer: B

Explanation:

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/sharingamis-explicit.html>

NEW QUESTION 164

- (Exam Topic 1)

A SysOps administrator has used AWS Cloud Formation to deploy a sereness application into a production VPC. The application consists of an AWS Lambda function, an Amazon DynamoDB table, and an Amazon API Gateway API. The SysOps administrator must delete the AWS Cloud Formation stack without deleting the DynamoDB table. Which action should the SysOps administrator take before deleting the AWS Cloud Formation stack?

- A. Add a Retain deletion policy to the DynamoDB resource in the AWS CloudFormation stack.
- B. Add a Snapshot deletion policy to the DynamoDB resource In the AWS CloudFormation stack.
- C. Enable termination protection on the AWS Cloud Formation stack.
- D. Update the application's IAM policy with a Deny statement for the dynamodb:DeleteTable action.

Answer: A

NEW QUESTION 169

- (Exam Topic 1)

A large company is using AWS Organizations to manage hundreds of AWS accounts across multiple AWS Regions. The company has turned on AWS Config throughout the organization.

The company requires all Amazon S3 buckets to block public read access. A SysOps administrator must generate a monthly report that shows all the S3 buckets and whether they comply with this requirement.

Which combination of steps should the SysOps administrator take to collect this data? (Select TWO).

- A. Create an AWS Config aggregator in an aggregator account
- B. Use the organization as the source. Retrieve the compliance data from the aggregator.
- C. Create an AWS Config aggregator in each account
- D. Use an S3 bucket in an aggregator account as the destination
- E. Retrieve the compliance data from the S3 bucket
- F. Edit the AWS Config policy in AWS Organization
- G. Use the organization's management account to turn on the s3-bucket-public-read-prohibited rule for the entire organization.
- H. Use the AWS Config compliance report from the organization's management account
- I. Filter the results by resource, and select Amazon S3.
- J. Use the AWS Config API to apply the s3-bucket-public-read-prohibited rule in all accounts for all available Regions.

Answer: CD

NEW QUESTION 172

- (Exam Topic 1)

A company runs several workloads on AWS. The company identifies five AWS Trusted Advisor service quota metrics to monitor in a specific AWS Region. The company wants to receive email notification each time resource usage exceeds 60% of one of the service quotas.

Which solution will meet these requirements?

- A. Create five Amazon CloudWatch alarms, one for each Trusted Advisor service quota metric
- B. Configure an Amazon Simple Notification Service (Amazon SNS) topic for email notification each time that usage exceeds 60% of one of the service quotas.
- C. Create five Amazon CloudWatch alarms, one for each Trusted Advisor service quota metric
- D. Configure an Amazon Simple Queue Service (Amazon SQS) queue for email notification each time that usage exceeds 60% of one of the service quotas.
- E. Use the AWS Service Health Dashboard to monitor each Trusted Advisor service quota metric. Configure an Amazon Simple Queue Service (Amazon SQS) queue for email notification each time that usage exceeds 60% of one of the service quotas.
- F. Use the AWS Service Health Dashboard to monitor each Trusted Advisor service quota metric. Configure an Amazon Simple Notification Service (Amazon SNS) topic for email notification each time that usage exceeds 60% of one of the service quotas.

Answer: D

NEW QUESTION 174

- (Exam Topic 1)

A SysOps administrator needs to create alerts that are based on the read and write metrics of Amazon Elastic Block Store (Amazon EBS) volumes that are attached to an Amazon EC2 instance. The SysOps administrator creates and enables Amazon CloudWatch alarms for the DiskReadBytes metric and the DiskWriteBytes metric.

A custom monitoring tool that is installed on the EC2 instance with the same alarm configuration indicates that the volume metrics have exceeded the threshold. However, the CloudWatch alarms were not in ALARM state.

Which action will ensure that the CloudWatch alarms function correctly?

- A. Install and configure the CloudWatch agent on the EC2 instance to capture the desired metrics.
- B. Install and configure AWS Systems Manager Agent on the EC2 instance to capture the desired metrics.
- C. Reconfigure the CloudWatch alarms to use the VolumeReadBytes metric and the VolumeWriteBytes metric for the EBS volumes.
- D. Reconfigure the CloudWatch alarms to use the VolumeReadBytes metric and the VolumeWriteBytes metric for the EC2 instance.

Answer: A

NEW QUESTION 175

- (Exam Topic 1)

With the threat of ransomware viruses encrypting and holding company data hostage, which action should be taken to protect an Amazon S3 bucket?

- A. Deny Pos
- B. Put
- C. and Delete on the bucket.
- D. Enable server-side encryption on the bucket.
- E. Enable Amazon S3 versioning on the bucket.
- F. Enable snapshots on the bucket.

Answer: B

NEW QUESTION 177

- (Exam Topic 1)

A company has a policy that requires all Amazon EC2 instances to have a specific set of tags. If an EC2 instance does not have the required tags, the noncompliant instance should be terminated.

What is the MOST operationally efficient solution that meets these requirements?

- A. Create an Amazon EventBridge (Amazon CloudWatch Events) rule to send all EC2 instance state changes to an AWS Lambda function to determine if each instance is compliant
- B. Terminate any noncompliant instances.
- C. Create an IAM policy that enforces all EC2 instance tag requirement
- D. If the required tags are not in place for an instance, the policy will terminate noncompliant instance.
- E. Create an AWS Lambda function to determine if each EC2 instance is compliant and terminate an instance if it is noncompliant
- F. Schedule the Lambda function to invoke every 5 minutes.
- G. Create an AWS Config rule to check if the required tags are present
- H. If an EC2 instance is noncompliant, invoke an AWS Systems Manager Automation document to terminate the instance.

Answer: C

NEW QUESTION 179

.....

Thank You for Trying Our Product

* **100% Pass or Money Back**

All our products come with a 90-day Money Back Guarantee.

* **One year free update**

You can enjoy free update one year. 24x7 online support.

* **Trusted by Millions**

We currently serve more than 30,000,000 customers.

* **Shop Securely**

All transactions are protected by VeriSign!

100% Pass Your AWS-Certified-SysOps-Administrator-Associate Exam with Our Prep Materials Via below:

<https://www.certleader.com/AWS-Certified-SysOps-Administrator-Associate-dumps.html>